

# LaCoste & Romberg

## Model 'G' Gravity Meter

### FEATURES

The Model 'G' gravity meter has been the standard instrument for regional gravity data acquisition throughout the world for almost 40 years! It has a world-wide range of 7,000 milligals without resetting. One turn of the nulling dial is approximately 1 milligal.



### MODEL 'G' GRAVITY METER SPECIFICATIONS

#### General

- Range: 7000 milligal
- Accuracy: 0.04 milligal
- Repeatability: 0.01 milligal
- Drift: 1.0 milligal per month or less
- Length: 19.7 cm
- Width: 17.8 cm
- Height: 25.1 cm
- Weight: 3.2 kg
- Weight of suitable battery: 2.3 kg
- Weight of meter, battery and carrying case: 22 pounds (10.0 kg)

#### Standard Accessories

- Two Gel Type Storage
- Batteries
- Battery Charger
- Aluminium Case
- Aluminium Baseplate
- Spare Fuses
- Level Adjusting Tool
- Instruction Manual
- Power Extension Cable

#### Main Instrument Components

- Arrestment Knob (Clamp)
- Nulling Dial
- Three leveling screws
- Bubble Levels
- Switch for Internal Light
- Eyepiece for Viewing Beam Position
- 4.5 Digit System Monitor
- Monitor Selector switch for Meter Temperature, Battery Voltage, and Optional MVR Feedback Voltage



**LaCoste & Romberg** LLC  
The first name in gravity since 1919

#### For Rental Information:

**Geoterrex-Dighem Pty. Limited**

**Phone: (61)(2) 9418 8077**

**Fax: (61)(2) 9418 8581**

**email: [ground.dept@geoterrex.com.au](mailto:ground.dept@geoterrex.com.au)**